CS 511, Fall 2018, Handout 05 Valid WFF's/Tautologies Contradictions/Unsatisfiable WFF's Contingent WFF's/Satisfiable+Falsifiable WFF's


Assaf Kfoury

11 September 2018






- the logical negation of a tautology is an unsatisfiable WFF (Why? Look at the truth tables.)
- the logical negation of an unsatisfiable WFF is a tautology (Why? Look at the truth tables.)
- WFF's that are neither tautologies nor contradictions are sometimes called contingent, which are in the middle of the diagram above.





satisfiable WFF's




#### satisfiable WFF's

Warning: the logical negation of a satisfiable WFF is NOT necessarily an unsatisfiable WFF, even though the diagram and the words seem to suggest it!






Warning: the logical negation of a falsifiable WFF is NOT necessarily a tautology, even though the diagram and the words seem to suggest it!



satisfiable WFF's



#### satisfiable WFF's

- Note that the set of satisfiable WFF's and the set of falsifiable WFF's overlap.
- The race is on for defining and implementing procedures to decide membership of a propositional WFF in each of the 3 groups separately:
  - 1. tautologies/valid WFF's
  - 2. contingent WFF's, i.e., WFF's that are both satisfiable and falsifiable
  - 3. contradictions/unsatisfiable WFF's

(All the notions in 1, 2, and 3, are all defined semantically , i.e., with truth-tables .)

#### (THIS PAGE INTENTIONALLY LEFT BLANK)