# CS 512, Spring 2017, Handout 21 First-Order Logic: Soundness and Completeness

Assaf Kfoury

20 March 2017

Assaf Kfoury, CS 512, Spring 2017, Handout 21

 $\Gamma$  is a set of WFF's.

- $\Gamma$  is a set of WFF's.
  - $\Gamma$  is consistent iff  $\Gamma \not\vdash \bot$ .

 $\Gamma$  is a set of WFF's.

- $\Gamma$  is consistent iff  $\Gamma \not\vdash \bot$ .
- **FACT.** The following three conditions are equivalent:
  - 1.  $\Gamma$  is consistent.
  - 2. For no WFF  $\varphi$  is it the case that both  $\Gamma \vdash \varphi$  and  $\Gamma \vdash \neg \varphi$ .
  - 3. There is at least one WFF  $\varphi$  such that  $\Gamma \not\vdash \varphi$ .

 $\Gamma$  is a set of WFF's.

- $\Gamma$  is consistent iff  $\Gamma \not\vdash \bot$ .
- **FACT.** The following three conditions are equivalent:
  - 1.  $\Gamma$  is consistent.
  - 2. For no WFF  $\varphi$  is it the case that both  $\Gamma \vdash \varphi$  and  $\Gamma \vdash \neg \varphi$ .
  - 3. There is at least one WFF  $\varphi$  such that  $\Gamma \not\vdash \varphi$ .
- Contrapositive FACT. The following conditions are equivalent:
  - 4. Γ is inconsistent.
  - 5. There is a WFF  $\varphi$  such that both  $\Gamma \vdash \varphi$  and  $\Gamma \vdash \neg \varphi$ .
  - 6. For every WFF  $\varphi$ , it holds that  $\Gamma \vdash \varphi$ .

 $\Gamma$  is a set of WFF's.

- $\Gamma$  is consistent iff  $\Gamma \not\vdash \bot$ .
- **FACT.** The following three conditions are equivalent:
  - 1.  $\Gamma$  is consistent.
  - 2. For no WFF  $\varphi$  is it the case that both  $\Gamma \vdash \varphi$  and  $\Gamma \vdash \neg \varphi$ .
  - 3. There is at least one WFF  $\varphi$  such that  $\Gamma \not\vdash \varphi$ .
- Contrapositive FACT. The following conditions are equivalent:
  - 4. Γ is inconsistent.
  - 5. There is a WFF  $\varphi$  such that both  $\Gamma \vdash \varphi$  and  $\Gamma \vdash \neg \varphi$ .
  - 6. For every WFF  $\varphi$ , it holds that  $\Gamma \vdash \varphi$ .

#### Proof.

(4)  $\Rightarrow$  (6): Let  $\Gamma \vdash \bot$ . By the rule " $\bot$  elimination", we add one more step in the proof to obtain  $\Gamma \vdash \varphi$ , which holds for every  $\varphi$ .

(6)  $\Rightarrow$  (5): Immediate.

(5)  $\Rightarrow$  (4): By the rule " $\neg$  elimination", from the derivations  $\Gamma \vdash \varphi$ and  $\Gamma \vdash \neg \varphi$ , we get  $\Gamma \vdash \bot$ .

## consistency (continued)

**Theorem.** Let  $\Gamma$  be a set of WFF's and  $\varphi$  a WFF.

We then have the two following (equivalent) statements:

- 1.  $\Gamma \cup \{\varphi\}$  is inconsistent iff  $\Gamma \vdash \neg \varphi$ .
- 2.  $\Gamma \cup \{\varphi\}$  is consistent iff  $\Gamma \not\vdash \neg \varphi$ .

**Proof.** We prove part 1 only. The very simple right-to-left implication is left to you. For the left-to-right, suppose  $\Gamma \cup \{\varphi\}$  is inconsistent. Hence we are given a formal derivation of the form on the left, and we build a new one on the right. The new one starts by opening a box with assumption  $\neg \neg \varphi$ , then uses rule " $\neg \neg e$ " and copies the given derivation with no change, and closes the initial box with rule " $\neg$ ":



The new formal derivation on the right shows that  $\Gamma \vdash \neg \varphi$  is a derivable sequent.

**Theorem.** Let  $\Gamma$  be a set of WFF's and  $\varphi$  a WFF.

If  $\Gamma \vdash \varphi$  then  $\Gamma \models \varphi$ . (most common form for "soundness")

**Theorem.** Let  $\Gamma$  be a set of WFF's and  $\varphi$  a WFF.

If  $\Gamma \vdash \varphi$  then  $\Gamma \models \varphi$ . (most common form for "soundness")

**Proof.** Left to you. Consult also how each deduction rule is justified [LCS, Section 2.3].

**Theorem.** Let  $\Gamma$  be a set of WFF's and  $\varphi$  a WFF.

If  $\Gamma \vdash \varphi$  then  $\Gamma \models \varphi$ . (most common form for "soundness")

**Proof.** Left to you. Consult also how each deduction rule is justified [LCS, Section 2.3].

Another form for "soundness" is the following: **Corollary.** If  $\Gamma$  is satisfiable, then  $\Gamma$  is consistent.

**Theorem.** Let  $\Gamma$  be a set of WFF's and  $\varphi$  a WFF.

If  $\Gamma \vdash \varphi$  then  $\Gamma \models \varphi$ . (most common form for "soundness")

**Proof.** Left to you. Consult also how each deduction rule is justified [LCS, Section 2.3].

Another form for "soundness" is the following: **Corollary.** If  $\Gamma$  is satisfiable, then  $\Gamma$  is consistent.

**Proof.** Suppose  $\Gamma$  is inconsistent. Then there is a WFF  $\varphi$  such that both  $\Gamma \vdash \varphi$  and  $\Gamma \vdash \neg \varphi$ . By the previous theorem, both  $\Gamma \models \varphi$  and  $\Gamma \models \neg \varphi$ , which is a contradiction.

One form of "completeness" is the following: **Theorem.** Let  $\Gamma$  be a set of sentences (closed WFF's). If  $\Gamma$  is consistent, then  $\Gamma$  is satisfiable.

One form of "completeness" is the following: **Theorem.** Let  $\Gamma$  be a set of sentences (closed WFF's). If  $\Gamma$  is consistent, then  $\Gamma$  is satisfiable.

**Proof.** By the Model-Existence Lemma (not in the book [LCS], and not included in these notes, look up "model-existence" lemma or theorem on the Web).

One form of "completeness" is the following: **Theorem.** Let  $\Gamma$  be a set of sentences (closed WFF's). If  $\Gamma$  is consistent, then  $\Gamma$  is satisfiable.

**Proof.** By the Model-Existence Lemma (not in the book [LCS], and not included in these notes, look up "model-existence" lemma or theorem on the Web).

Another form of "completeness", which is the most common: **Corollary.** 

If  $\Gamma \models \varphi$  then  $\Gamma \vdash \varphi$ .

One form of "completeness" is the following: **Theorem.** Let  $\Gamma$  be a set of sentences (closed WFF's). If  $\Gamma$  is consistent, then  $\Gamma$  is satisfiable.

**Proof.** By the Model-Existence Lemma (not in the book [LCS], and not included in these notes, look up "model-existence" lemma or theorem on the Web).

Another form of "completeness", which is the most common: **Corollary.** 

If  $\Gamma \models \varphi$  then  $\Gamma \vdash \varphi$ .

**Proof.** Suppose  $\Gamma \not\models \varphi$ . Then  $\Gamma \not\models \neg \neg \varphi$ . So that  $\Gamma \cup \{\neg \varphi\}$  is consistent. By the theorem above, there is a model  $\mathcal{M}$  of  $\Gamma \cup \{\neg \varphi\}$ . Hence,  $\mathcal{M}$  is a model of  $\Gamma$  but not of  $\varphi$ . Hence,  $\Gamma \not\models \varphi$ .

## soundness and completeness - short form

For all WFF  $\varphi$ 

