


3.3 BALANCED SEARCH TREES



- ▶ 2-3 search trees
- ▶ red-black BSTs
- ▶ B-trees

Symbol table review

implementation	guarantee			average case			ordered iteration?	operations on keys
	search	insert	delete	search hit	insert	delete		
sequential search (linked list)	N	N	N	N/2	N	N/2	no	<code>equals()</code>
binary search (ordered array)	$\lg N$	N	N	$\lg N$	N/2	N/2	yes	<code>compareTo()</code>
BST	N	N	N	$1.39 \lg N$	$1.39 \lg N$?	yes	<code>compareTo()</code>
goal	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	yes	<code>compareTo()</code>

Challenge. Guarantee performance.

This lecture. 2-3 trees, **left-leaning red-black BSTs**, B-trees.

↖ introduced to the world
in COS 226, Fall 2007

- ▶ **2-3 search trees**
- ▶ red-black BSTs
- ▶ B-trees


2-3 tree

Allow 1 or 2 keys per node.

- 2-node: one key, two children.
- 3-node: two keys, three children.

Symmetric order. Inorder traversal yields keys in ascending order.


Perfect balance. Every path from root to null link has same length.




Search in a 2-3 tree

- Compare search key against keys in node.
- Find interval containing search key.
- Follow associated link (recursively).

successful search for H




unsuccessful search for B



Insertion in a 2-3 tree

Case 1. Insert into a 2-node at bottom.

- Search for key, as usual.
- Replace 2-node with 3-node.




Insertion in a 2-3 tree

Case 2. Insert into a 3-node at bottom.

- Add new key to 3-node to create **temporary 4-node**.
- Move middle key in 4-node into parent.

why middle key?




Insertion in a 2-3 tree

Case 2. Insert into a 3-node at bottom.


- Add new key to 3-node to create temporary 4-node.
- Move middle key in 4-node into parent.
- Repeat up the tree, as necessary.

inserting D


*search for D ends
at this 3-node*



*add new key D to 3-node
to make temporary 4-node*




*add middle key C to 3-node
to make temporary 4-node*



*split 4-node into two 2-nodes
pass middle key to parent*

*add middle key E to 2-node
to make new 3-node*





*split 4-node into two 2-nodes
pass middle key to parent*

Insertion in a 2-3 tree

Case 2. Insert into a 3-node at bottom.



- Add new key to 3-node to create temporary 4-node.
- Move middle key in 4-node into parent.
- Repeat up the tree, as necessary.
- **If you reach the root and it's a 4-node, split it into three 2-nodes.**



Remark. Splitting the root increases height by 1.



2-3 tree construction trace

Standard indexing client.




2-3 tree construction trace

The same keys inserted in ascending order.



Local transformations in a 2-3 tree

Splitting a 4-node is a **local** transformation: constant number of operations.



Global properties in a 2-3 tree

Invariants. Maintains symmetric order and perfect balance.


Pf. Each transformation maintains symmetric order and perfect balance.

root




parent is a 3-node

left




parent is a 2-node


left




middle



right



right



ST implementations: summary

implementation	guarantee			average case			ordered iteration?	operations on keys
	search	insert	delete	search hit	insert	delete		
sequential search (linked list)	N	N	N	N/2	N	N/2	no	<code>equals()</code>
binary search (ordered array)	$\lg N$	N	N	$\lg N$	N/2	N/2	yes	<code>compareTo()</code>
BST	N	N	N	$1.39 \lg N$	$1.39 \lg N$?	yes	<code>compareTo()</code>
2-3 tree	$c \lg N$	$c \lg N$	$c \lg N$	$c \lg N$	$c \lg N$	$c \lg N$	yes	<code>compareTo()</code>



 constants depend upon
 implementation

2-3 tree: implementation?

Direct implementation is complicated, because:




- Maintaining multiple node types is cumbersome.
- Need multiple compares to move down tree.
- Need to move back up the tree to split 4-nodes.
- Large number of cases for splitting.

Bottom line. Could do it, but there's a better way.

- ▶ 2-3 search trees
- ▶ **red-black BSTs**
- ▶ B-trees

Left-leaning red-black BSTs (Guibas-Sedgwick 1979 and Sedgwick 2007)


1. Represent 2-3 tree as a BST.
2. Use "internal" left-leaning links as "glue" for 3-nodes.




Left-leaning red-black BSTs: 1-1 correspondence with 2-3 trees

Key property. 1-1 correspondence between 2-3 and LLRB.


red-black tree



horizontal red links



2-3 tree




Search implementation for red-black BSTs

Observation. Search is the same as for elementary BST (ignore color).

↑
but runs faster because of better balance

```
public Val get(Key key)
{
    Node x = root;
    while (x != null)
    {
        int cmp = key.compareTo(x.key);
        if (cmp < 0) x = x.left;
        else if (cmp > 0) x = x.right;
        else if (cmp == 0) return x.val;
    }
    return null;
}
```



Remark. Most other ops (e.g., ceiling, selection, iteration) are also identical.

Red-black BST representation


Each node is pointed to by precisely one link (from its parent) \Rightarrow
can encode color of links in nodes.

```
private static final boolean RED    = true;  
private static final boolean BLACK = false;
```

```
private class Node  
{  
    Key key;  
    Value val;  
    Node left, right;  
    boolean color; // color of parent link  
}
```

```
private boolean isRed(Node x)  
{  
    if (x == null) return false;  
    return x.color == RED;  
}
```


null links are black



Elementary red-black BST operations

Left rotation. Orient a (temporarily) right-leaning red link to lean left.

rotate E left
(before)




```
private Node rotateLeft(Node h)
{
    assert isRed(h.right);
    Node x = h.right;
    h.right = x.left;
    x.left = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```

Invariants. Maintains symmetric order and perfect black balance.

Elementary red-black BST operations

Left rotation. Orient a (temporarily) right-leaning red link to lean left.




```
private Node rotateLeft(Node h)
{
    assert isRed(h.right);
    Node x = h.right;
    h.right = x.left;
    x.left = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```

Invariants. Maintains symmetric order and perfect black balance.

Elementary red-black BST operations

Right rotation. Orient a left-leaning red link to (temporarily) lean right.




```
private Node rotateRight(Node h)
{
    assert isRed(h.left);
    Node x = h.left;
    h.left = x.right;
    x.right = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```

Invariants. Maintains symmetric order and perfect black balance.

Elementary red-black BST operations

Right rotation. Orient a left-leaning red link to (temporarily) lean right.

rotate S right
(after)




```
private Node rotateRight(Node h)
{
    assert isRed(h.left);
    Node x = h.left;
    h.left = x.right;
    x.right = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```

Invariants. Maintains symmetric order and perfect black balance.

Elementary red-black BST operations

Color flip. Recolor to split a (temporary) 4-node.




```
private void flipColors(Node h)
{
    assert !isRed(h);
    assert isRed(h.left);
    assert isRed(h.right);
    h.color = RED;
    h.left.color = BLACK;
    h.right.color = BLACK;
}
```

Invariants. Maintains symmetric order and perfect black balance.

Elementary red-black BST operations

Color flip. Recolor to split a (temporary) 4-node.




```
private void flipColors(Node h)
{
    assert !isRed(h);
    assert isRed(h.left);
    assert isRed(h.right);
    h.color = RED;
    h.left.color = BLACK;
    h.right.color = BLACK;
}
```

Invariants. Maintains symmetric order and perfect black balance.



Insertion in a LLRB tree: overview

Basic strategy. Maintain 1-1 correspondence with 2-3 trees by applying elementary red-black BST operations.



Insertion in a LLRB tree


Warmup 1. Insert into a tree with exactly 1 node.



Insertion in a LLRB tree




Case 1. Insert into a 2-node at the bottom.

- Do standard BST insert; color new link red.
- If new red link is a right link, rotate left.



Insertion in a LLRB tree


Warmup 2. Insert into a tree with exactly 2 nodes.



Insertion in a LLRB tree

Case 2. Insert into a 3-node at the bottom.


- Do standard BST insert; color new link red.
- Rotate to balance the 4-node (if needed).
- Flip colors to pass red link up one level.
- Rotate to make lean left (if needed).



Insertion in a LLRB tree: passing red links up the tree

Case 2. Insert into a 3-node at the bottom.


- Do standard BST insert; color new link red.
- Rotate to balance the 4-node (if needed).
- Flip colors to pass red link up one level.
- Rotate to make lean left (if needed).
- Repeat case 1 or case 2 up the tree (if needed).



LLRB tree insertion demo


LLRB tree insertion trace

Standard indexing client.



LLRB tree insertion trace

Standard indexing client (continued).




red-black BST

corresponding 2-3 tree

Insertion in a LLRB tree: Java implementation

Same code for both cases.

- Right child red, left child black: **rotate left**.
- Left child, left-left grandchild red: **rotate right**.
- Both children red: **flip colors**.



```
private Node put(Node h, Key key, Value val)
{
```

```
    if (h == null) return new Node(key, val, RED);
```

```
    int cmp = key.compareTo(h.key);
```

```
    if (cmp < 0) h.left = put(h.left, key, val);
```

```
    else if (cmp > 0) h.right = put(h.right, key, val);
```

```
    else if (cmp == 0) h.val = val;
```

```
    if (isRed(h.right) && !isRed(h.left)) h = rotateLeft(h);
```

```
    if (isRed(h.left) && isRed(h.left.left)) h = rotateRight(h);
```

```
    if (isRed(h.left) && isRed(h.right)) flipColors(h);
```

```
    return h;
```

```
}
```

insert at bottom
(and color red)


lean left

balance 4-node

split 4-node


only a few extra lines of code
to provide near-perfect balance

Insertion in a LLRB tree: visualization



Insertion in a LLRB tree: visualization

N = 255
max = 8
avg = 7.0
opt = 7.0




255 insertions in descending order

Balance in LLRB trees

Proposition. Height of tree is $\leq 2 \lg N$ in the worst case.

Pf.

- Every path from root to null link has same number of black links.
- Never two red links in-a-row.



Property. Height of tree is $\sim 1.00 \lg N$ in typical applications.

ST implementations: summary

implementation	guarantee			average case			ordered iteration?	operations on keys
	search	insert	delete	search hit	insert	delete		
sequential search (linked list)	N	N	N	$N/2$	N	$N/2$	no	<code>equals()</code>
binary search (ordered array)	$\lg N$	N	N	$\lg N$	$N/2$	$N/2$	yes	<code>compareTo()</code>
BST	N	N	N	$1.39 \lg N$	$1.39 \lg N$?	yes	<code>compareTo()</code>
2-3 tree	$c \lg N$	$c \lg N$	$c \lg N$	$c \lg N$	$c \lg N$	$c \lg N$	yes	<code>compareTo()</code>
red-black BST	$2 \lg N$	$2 \lg N$	$2 \lg N$	$1.00 \lg N^*$	$1.00 \lg N^*$	$1.00 \lg N^*$	yes	<code>compareTo()</code>

* exact value of coefficient unknown but extremely close to 1

War story: why red-black?

Xerox PARC innovations. [1970s]

- Alto.
- GUI.
- Ethernet.
- Smalltalk.
- InterPress.
- Laser printing.
- Bitmapped display.
- WYSIWYG text editor.
- ...

XEROX.
PARC



Xerox Alto

A DICHROMATIC FRAMEWORK FOR BALANCED TREES

Leo J. Guibas
*Xerox Palo Alto Research Center,
Palo Alto, California, and
Carnegie-Mellon University*

and

Robert Sedgwick*
*Program in Computer Science
Brown University
Providence, R. I.*

ABSTRACT

In this paper we present a uniform framework for the implementation and study of balanced tree algorithms. We show how to imbed in this

the way down towards a leaf. As we will see, this has a number of significant advantages over the older methods. We shall examine a number of variations on a common theme and exhibit full implementations which are notable for their brevity. One implementation is examined carefully, and some properties about its

- ▶ 2-3 search trees
- ▶ red-black BSTs
- ▶ **B-trees**


File system model

Page. Contiguous block of data (e.g., a file or 4,096-byte chunk).

Probe. First access to a page (e.g., from disk to memory).



slow



fast

Property. Time required for a probe is much larger than time to access data within a page.

Cost model. Number of probes.


Goal. Access data using minimum number of probes.

B-trees (Bayer-McCreight, 1972)

B-tree. Generalize 2-3 trees by allowing up to $M - 1$ key-link pairs per node.


- At least 2 key-link pairs at root.
- At least $M / 2$ key-link pairs in other nodes.
- External nodes contain client keys.
- Internal nodes contain copies of keys to guide search.

choose M as large as possible so that M links fit in a page, e.g., $M = 1024$




Searching in a B-tree

- Start at root.
- Find interval for search key and take corresponding link.
- Search terminates in external node.



Insertion in a B-tree

- Search for new key.
- Insert at bottom.
- Split nodes with M key-link pairs on the way up the tree.



Balance in B-tree

Proposition. A search or an insertion in a B-tree of order M with N keys requires between $\log_{M-1} N$ and $\log_{M/2} N$ probes.

Pf. All internal nodes (besides root) have between $M/2$ and $M - 1$ links.


In practice. Number of probes is at most 4.

$$\begin{aligned} M &= 1024; N = 62 \text{ billion} \\ \log_{M/2} N &\leq 4 \end{aligned}$$



Optimization. Always keep root page in memory.

Building a large B tree



Balanced trees in the wild

Red-black trees are widely used as system symbol tables.


- Java: `java.util.TreeMap`, `java.util.TreeSet`.
- C++ STL: `map`, `multimap`, `multiset`.
- Linux kernel: completely fair scheduler, `linux/rbtree.h`.

B-tree variants. B+ tree, B*tree, B# tree, ...

B-trees (and variants) are widely used for file systems and databases.

- Windows: HPFS.
- Mac: HFS, HFS+.
- Linux: ReiserFS, XFS, Ext3FS, JFS.
- Databases: ORACLE, DB2, INGRES, SQL, PostgreSQL.

Red-black BSTs in the wild



*Common sense. Sixth sense.
Together they're the
FBI's newest team.*