


Search Strategies



Consider a path planning problem with a graph shown above. The starting point is node S and the end point is node T. The cost of each edge has been labeled in the figure. We want to find the shortest path from S to T. Suppose the estimated remaining cost from each node to T is given in the following table:

Node	A	B	C	D
Estimated remaining cost	12	10	10	6

Note that in the example we did in class, the estimated remaining costs of nodes next to the goal node were exactly the edge costs. In this example, however, we assume that the edge costs are not visible when the decision on which path has minimal costs is made.

Questions:

1. Run the “Greedy Search with Pruning” algorithm on the graph. What is the shortest path and its corresponding cost?
2. Run the A* algorithm on the graph. What is the shortest path and its corresponding cost?
3. Change the estimated remaining cost of node B from 10 to 5 and run the A* algorithm again. What’s the shortest path and its corresponding cost?

Rule-Based Systems

Consider a system with the following rules.

Index	Antecedents	Consequents
R1	X has fictional characters	X is a novel
R2	X is an invented prose narrative	X is a novel
R3	X has fictional characters X is very long X contains intimate human experience	X is a novel
R4	X is a novel X has historical plots	X is a historical novel
R5	X is a novel X is imported X describes the June Rebellion in Paris	X is a historical novel
R6	X is a novel X is imported X elaborates upon the history of France	X is a historical novel
R7	X was authored by Victor Hugo X was published in Belgium in the 19th century	X is one of the greatest works at the time
R8	X has doodles X has tea stains	X is lightly worn out
R9	X is a historical novel X is one of the greatest works at the time X has hardcover X is lightly worn out	X is <i>Les Misérables</i>

Suppose the following assertions about a book B are in the system's initial working memory:

- B contains intimate human experience
- B is very long
- B has fictional characters
- B is imported
- B describes the June Rebellion in Paris
- B was authored by Victor Hugo
- B was published in Belgium in the 19th century
- B has hardcover
- B is lightly worn out

The expert system evaluates the rules as follows:

- Conflicts are resolved based on rule ordering and antecedent ordering. In other words, when examining rules, the system always go from R1 to R9 sequentially; when examining antecedents in any rule, the system always follow the order as appeared in the table.
- A rule is never selected unless it adds a new assertion to the working memory.

Questions:

1. Simulate how the expert system interprets the working memory by making a table with the relevant rule indices (e.g., R4) and by indicating any new assertions added to the working memory. An example of your answer is given as follows.

Step	Rules ready to be instantiated	Rule selected	New assertion
1	R1, R3, R7	R1	B is a novel
2

2. The expert system uses backward chaining and starts with the hypothesis that book B is *Les Misérables* but no initial assertions. The system asks the user questions to build the working memory and instantiate rules. The user answers “yes” to any question corresponding to an assertion on the list given in the initial working memory and “no” otherwise. In addition, the system can read a previously stored answer to a repeated question, so it never asks the same question twice.
- If the system follows in a depth-first way, list the questions in the order it asks. There should be 12 questions in total.
 - If the system follows in a breadth-first way, list the questions in the order it asks. There should be 13 questions in total.

Please be careful as an error in the middle of your answer means the portion after that is also incorrect.

3. Which of the two backward chaining versions of the expert system would be preferred? Choose each of the following that support your view.
- Depth-first, because questions tend to stay relevant to particular subproblems, rather than jumping around.
 - Depth-first, because the answer will be produced more reliably.
 - Breadth-first, because answers will be produced faster.
 - Breadth-first, because questions tend to stay relevant to particular subproblems, rather than jumping around.

Propositional Logic and Inference

Given the following axioms:

$$E_1 \vee \neg E_2 \quad (1)$$

$$E_2 \vee \neg E_3 \quad (2)$$

$$\neg E_1 \quad (3)$$

$$E_2 \vee E_3 \vee E_4 \quad (4)$$

Prove the following theorem by refutation:

$$E_4$$

Use indices to refer to the axioms or new statements from resolution to carry out the proof.